

# DEFINITELY A BAKKIE

Reliability with little more  
Attitude & **X-tra Styling.**



ALL-NEW ISUZU  
**D-MAX**

*Take it to its limits.*

Introducing the **NEW ISUZU X-RIDER DOUBLE CAB RANGE**

[www.isuzu.co.za](http://www.isuzu.co.za) f x

**ISUZU**

*With you for the long run*

More than a new look, this is the evolution of proven capability, more refined, more efficient, and built to handle whatever the day demands.

ISUZU X-Rider is the Allrounder ,Reliability with a little more attitude and xtra styling

Now available with a 3.0L engine for added performance.

## ISUZU D-MAX X-RIDER DOUBLE CAB RANGE SPECIFICATIONS

SMOD	M260RX1	M260RX2	M260H87	M260RY2	M260RX3
MODELS	1.9 DDI X-RIDER 4X2	1.9 DDI X-RIDER 4X2 A/T	1.9 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X2 A/T
ENGINE	RZ4E-MID	RZ4E-MID	RZ4E-MID	RZ4E-MID	RZ4E-MID
Displacement (cc)	RZ4E-MID	RZ4E-MID	RZ4E-MID	4JJ4	4JJ4
No. of Cylinders	1898	1898	1898	2999	2999
Compression Ratio	4	4	4	4	4
Bore X Stroke (mm)	16.5:1	16.5:1	16.5:1	16.3:1	16.3:1
No. of Valves	80 x 94.4	80 x 94.4	80 x 94.4	95.4 x 104.9	95.4 x 104.9
Power (kW) @ r/min	16	16	16	16	16
Torque (Nm) @ r/min	110 @ 3600	110 @ 3600	110 @ 3600	140 @ 3600	140 @ 3600
Turbocharger	350 @ 1800-2600	350 @ 1800-2600	350 @ 1800-2600	450 @ 1600-2600	450 @ 1600-2600
800mm Water	Std	Std	Std	Std	Std
Pre-Air Cleaner	Std	Std	Std	Std	Std
ACG (90A)	Std	Std	Std	Std	Std
ACG with IBS	Std	Std	Std	Std	Std
Intercooler	Std	Std	Std	Std	Std

FUEL CONSUMPTION #1					
Combined Cycle (Litres/100km)	7.4	7.4	7.6	8.1	7.9
Combined CO <sub>2</sub> Emissions (g/km)	193	195	198	212	208
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel

TRANSMISSION					
Transmission Type	6 Speed Manual	6 Speed Automatic	6 Speed Automatic	6 Speed Automatic	6 Speed Automatic
Gear Ratio: 1st	4.942	3.600	3.600	3.600	3.600
Gear Ratio: 2nd	2.686	2.090	2.090	2.090	2.090
Gear Ratio: 3rd	1.527	1.488	1.488	1.488	1.488
Gear Ratio: 4th	1.000	1.000	1.000	1.000	1.000
Gear Ratio: 5th	0.749	0.687	0.687	0.687	0.687
Gear Ratio: 6th	0.634	0.580	0.580	0.580	0.580
Gear Ratio: Reverse	4.597	3.732	3.732	3.732	3.732
4WD Selector	-	-	Std	Std	-
Low Range Ratio	-	-	2.482	2.482	-

FRONT DIFFERENTIAL					
Differential Lock	-	-	Std	Std	-
Axle Ratio: Final Drive	-	-	4.100	3.727	3.727

REAR DIFFERENTIAL					
Differential Lock	Std	Std	Std	Std	Std
Axle Ratio: Final Drive	4.100	4.100	4.100	3.727	3.727

CHASSIS DESIGN					
Wheel suspension front	High Mounting	High Mounting	High Mounting	High Mounting	High Mounting
Wheel suspension rear	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung
Shock absorbers	Twintube Gas Pressurised	Twintube Gas Pres-	Twintube Gas Pressurised	Twintube Gas Pressurised	Twintube Gas Pressurised
Suspension	High Ride	High Ride	High Ride	High Ride	High Ride
Skid plate guard front	Std	Std	Std	Std	Std
Skid plate guard rear	Std	Std	Std	Std	Std
Skid plate guard rear	Std	Std	Std	Std	Std
Transfer case guard	-	-	Std	Std	-
Oil pan guard	Std	Std	Std	Std	Std



MODELS	1.9 DDI X-RIDER 4X2	1.9 DDI X-RIDER 4X2 A/T	1.9 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X2 A/T
<b>WHEELS &amp; TYRES</b>					
Tyre Size	265/60R18 AT	265/60R18 AT	265/60R18 AT	265/60R18 AT	265/60R18 AT
Wheels Size / Type	Alloy 18" x 7.5J-33 Diamond Cut	Alloy 18" x 7.5J-33 Diamond Cut	Alloy 18" x 7.5J-33 Diamond Cut	Alloy 18" x 7.5J-33 Diamond Cut	Alloy 18" x 7.5J-33 Diamond Cut
Spare Wheel	Alloy 18" x 7.5J-33	Alloy 18" x 7.5J-33	Alloy 18" x 7.5J-33	Alloy 18" x 7.5J-34	Alloy 18" x 7.5J-33
Turning Circle (m)	12.5	12.5	12.5	12.5	12.5
Tyre-Pressure Monitoring Sensor	-	-	-	-	-

<b>DIMENSIONS</b>					
Length (mm)	5333	5333	5333	5333	5333
Width (mm)	1870	1870	1870	1880	1880
Height (mm)	1805	1805	1805	1805	1805
Wheelbase (mm)	3125	3125	3125	3125	3125
Track front / rear (mm)	1570/1570	1570/1570	1570/1570	1570/1570	1570/1570
Rear overhang (mm)	1318	1318	1318	1318	1318
Ground clearance (mm)	227	227	227	227	227
Loadbox length (mm)	1495	1495	1495	1495	1495
Loadbox width (mm)	1530	1530	1530	1530	1530
Loadbox depth (mm)	490	490	490	490	490
Approach angle <sup>(o)</sup>	30	30	30	30	30
Departure angle <sup>(o)</sup>	24	24	24	24	24
Breakover angle <sup>(o)</sup>	22.5	22.5	22.5	22.5	22.5
Wading depth (mm)	800	800	800	800	800

<b>MASS / CAPACITY</b>					
Gross Axle Mass – Front (GA1) (kg)	1450	1450	1450	1450	1450
Gross Axle Mass – Rear (GA2) (kg)	1910	1910	1910	1910	1910
Gross Vehicle Mass (GVM) (kg)	3000	3000	3100	3100	3000
Gross Combined Mass (GCM) (kg)	5000	5000	5000	6000	5000
Tare Mass (kg)	1885	1900	1995	2060	1970
Payload (kg)	1055	1040	1045	980	970
Towing Capacity (kg): <sup>#2</sup> Unbraked Trailer	750	750	750	750	750
Towing Capacity / Rating (kg): <sup>#2</sup> Braked Trailer	2100	2100	2100	3500	3500
Fuel Tank Capacity (Litres)	76	76	76	76	76

<b>LOADBOX FEATURES</b>					
Tiedown brackets in loadbox for load restraint	4	4	4	4	4
Rope hooks on load box side	-	-	-	-	-

<b>SAFETY FEATURES</b>					
Anti-Lock Braking System (ABS)	Std	Std	Std	Std	Std
Electronic Brake Force Distribution (EBD)	Std	Std	Std	Std	Std
Brake Assist System (BAS)	Std	Std	Std	Std	Std

MODELS	1.9 DDI X-RIDER 4X2	1.9 DDI X-RIDER 4X2 A/T	1.9 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X2 A/T
<b>SAFETY FEATURES (CONTIN)</b>					
Electronic Stability Control (ESC) with Traction Control	Std	Std	Std	Std	Std
Hill Start Assist (HSA)	Std	Std	Std	Std	Std
Hill Descent Control (HDC)	Std	Std	Std	Std	Std
Trailer Sway Control	Std	Std	Std	Std	Std
Brake Override Accelerator (BOA)	Std	Std	Std	Std	Std
Cruise control	Std	Std	Std	Std	Std
Multi collision brake	-	-	-	-	-
Height adjustable 3-point front seat belts	Std	Std	Std	Std	Std
Seat belt pretensioners	Std	Std	Std	Std	Std
Fixed 3-point rear seat belts	Std	Std	Std	Std	Std
Seat belt reminder	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
Occupant detection sensor	Passenger	Passenger	Passenger	Passenger	Passenger
Driver & Passenger airbags	Std	Std	Std	Std	Std
Front seat side airbags	Std	Std	Std	Std	Std
Curtain airbags	Std	Std	Std	Std	Std
Knee airbag	Driver	Driver	Driver	Driver	Driver
Far side airbag	-	-	-	-	-
Side impact protection bars	Std	Std	Std	Std	Std
Collapsible steering column	Std	Std	Std	Std	Std
Speed sensitive door lock	Std	Std	Std	Std	Std
ISOFIX child seat attachment	Std with Top Tether	Std with Top Tether	Std with Top Tether	Std with Top Tether	Std with Top Tether
Parking distance sensors	Rear	Rear	Rear	Rear	Rear
Rear view camera	Std	Std	Std	Std	Std
Front camera	-	-	-	-	-
Warning triangle kit	Std	Std	Std	Std	Std
Emergency stop signal	Std	Std	Std	Std	Std
Blind spot monitor	-	-	-	-	-
Rear cross traffic alert	-	-	-	-	-
Rear cross traffic braking	-	-	-	-	-
Rear radar	-	-	-	-	-
Autonomous emergency brake	-	-	-	-	-
Forward collision warning	-	-	-	-	-
Pedal misapplication mitigation	-	-	-	-	-
Manual speed limiter	-	-	-	-	-
Intelligent speed limiter	-	-	-	-	-
Lane departure warning	-	-	-	-	-
Lane keep assist	-	-	-	-	-
Lane departure prevention	-	-	-	-	-
Driver monitoring	-	-	-	-	-
Traffic sign recognition	-	-	-	-	-



MODELS	1.9 DDI X-RIDER 4X2	1.9 DDI X-RIDER 4X2 A/T	1.9 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X2 A/T
--------	---------------------	-------------------------	-------------------------	-------------------------	-------------------------

### SECURITY FEATURES

Manual door locks	-	-	-	-	-
Remote controlled central locking	Std	Std	Std	Std	Std
Remote keyless entry	Std	Std	Std	Std	Std
Remote key auto lock	Std	Std	Std	Std	Std
Remote engine start	-	-	-	-	-
Passive Entry Start System (PESS)	-	-	-	-	-
Child proof rear door locks	Std	Std	Std	Std	Std
Anti-theft alarm system	Std	Std	Std	Std	Std
Ultrasonic alarm	Std	Std	Std	Std	Std
Transponder immobiliser system	Std	Std	Std	Std	Std
Selectable door unlock	-	-	-	-	-
Walk away auto door lock	-	-	-	-	-

### INTERIOR / EXTERIOR LIGHTING

Front reading lamps	Std	Std	Std	Std	Std
Interior courtesy lamp	Std	Std	Std	Std	Std
Illuminated entry	Std	Std	Std	Std	Std
Front fog lamps	Std, LED	Std, LED	Std, LED	Std, LED	Std, LED
Daytime Running Lights (DRL)	LED	LED	LED	LED	LED
Welcome headlamps	-	-	-	-	-
Headlamps	LED	LED	LED	LED	LED
Headlamp Levelling	Manual	Manual	Manual	Manual	Manual
headlamps "on" warning buzzer	Std	Std	Std	Std	Std
Automatic on/off headlamp	Std	Std	Std	Std	Std
Automatic high beam	-	-	-	-	-
Turn indicator lamp on door	-	-	-	-	-
Rear tail lamps, combination	LED	LED	LED	LED	LED
High mounted centre stop lamp	Std	Std	Std	Std	Std
Rear fog lamps	-	-	-	-	-
Follow me home headlamps	Std	Std	Std	Std	Std

### EXTERIOR FEATURES

Front wiper	Auto, Rain sensing	Auto, Rain sensing	Auto, Rain sensing	Auto, Rain sensing	Auto, Rain sensing
Radiator grille	Gloss Black, Red Badge	Gloss Black, Red Badge	Gloss Black, Red Badge	Gloss Black, Red Badge	Gloss Black, Red Badge
Front bumper	High Appearance	High Appearance	High Appearance	High Appearance	High Appearance
Rear bumper	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Front bumper cladding	-	-	-	-	-
Towbar	Std (2.1T)	Std (2.1T)	Std (2.1T)	Std (3.5T)	Std (3.5T)
Exterior Door handle	Black	Black	Black	Black	Black

MODELS	1.9 DDI X-RIDER 4X2	1.9 DDI X-RIDER 4X2 A/T	1.9 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X2 A/T
--------	---------------------	-------------------------	-------------------------	-------------------------	-------------------------

### EXTERIOR FEATURES (CONTIN)

Exterior mirror	Gloss Black, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical	Gloss Black, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical	Gloss Black, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical	Gloss Black, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical	Gloss Black, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical
B-Pillar blackout	Std	Std	Std	Std	Std
Over fender (fender flares)	-	-	-	-	-
Roof rails	Std, Very Dark Gray	Std, Very Dark Gray	Std, Very Dark Gray	Std, Very Dark Gray	Std, Very Dark Gray
Sports bar	Std, Black	Std, Black	Std, Black	Std, Black	Std, Black
Sports Hoop	-	-	-	-	-
Side steps	Std, Black	Std, Black	Std, Black	Std, Black	Std, Black
Mudflaps	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Tailgate handle	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour

### INTERIOR FEATURES

Power Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Air conditioner	Manual	Manual	Manual	Manual	Manual
Pollen filter	Std	Std	Std	Std	Std
Rear view mirror, inside	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night
Sun visor	Driver with Ticket holder, Passenger with Vanity Mirror	Driver with Ticket holder, Passenger with Vanity Mirror	Driver with Ticket holder, Passenger with Vanity Mirror	Driver with Ticket holder, Passenger with Vanity Mirror	Driver with Ticket holder, Passenger with Vanity Mirror
Overhead console with map lamps (x2) and sunglasses holder	Std	Std	Std	Std	Std
Multi Information Display (MID)	Std, 7" with decoration/ with X mark	Std, 7" with decoration/ with X mark	Std, 7" with decoration/ with X mark	Std, 7" with decoration/ with X mark	Std, 7" with decoration/ with X mark
Dashboard illumination control	Std	Std	Std	Std	Std
Power socket, auxiliary 12V IP mounted	1	1	1	1	1
Glove box, lockable	Std	Std	Std	Std	Std
Utility box on glove box	Std, High Type, X Mark with red gradation	Std, High Type, X Mark with red gradation	Std, High Type, X Mark with red gradation	Std, High Type, X Mark with red gradation	Std, High Type, X Mark with red gradation
Steering column adjustment	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic
Automatic shift paddles	-	-	-	-	-
Steering wheel trim	Leather with red Isuzu badge/stitching	Leather with red Isuzu badge/stitching	Leather with red Isuzu badge/stitching	Leather with red Isuzu badge/stitching	Leather with red Isuzu badge/stitching
Steering wheel multifunctional controls	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise
Gear shift trim	Urethane, Red Stitch knob and boot	Urethane, Red Stitch knob and boot	Urethane, Red Stitch knob and boot	Urethane, Red Stitch knob and boot	Urethane, Red Stitch knob and boot
Front seat configuration	2 x Bucket	2 x Bucket	2 x Bucket	2 x Bucket	2 x Bucket
Rear seat configuration	Bench, Split Cushion 60:40	Bench, Split Cushion 60:40	Bench, Split Cushion 60:40	Bench, Split Cushion 60:40	Bench, Split Cushion 60:40
Heated front seat	-	-	-	-	-
Seat trim	Partial Leather X Mark on headrest with red stitching	Partial Leather X Mark on headrest with red stitching	Partial Leather X Mark on headrest with red stitching	Partial Leather X Mark on headrest with red stitching	Partial Leather X Mark on headrest with red stitching



MODELS	1.9 DDI X-RIDER 4X2	1.9 DDI X-RIDER 4X2 A/T	1.9 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X2 A/T
<b>INTERIOR FEATURES (CONTIN)</b>					
Seat adjustment	6 Way Manual Driver, Manual Lumbar Support Driver	6 Way Manual Driver, Manual Lumbar Support Driver	6 Way Manual Driver, Manual Lumbar Support Driver	6 Way Manual Driver, Manual Lumbar Support Driver	6 Way Manual Driver, Manual Lumbar Support Driver
Storage pockets behind front seats	Std	Std	Std	Std	Std
Door trim with storage pockets and integrated cupholders	Std	Std	Std	Std	Std
Interior door release handle	Material colour	Material colour	Material colour	Material colour	Material colour
Interior trim colours	Black Upper / Black Lower	Black Upper / Black Lower	Black Upper / Black Lower	Black Upper / Black Lower	Black Upper / Black Lower
A-pillar assist grip, driver & passenger	Std	Std	Std	Std	Std
Roof mounted assist grips	Driver & Passengers	Driver & Passengers	Driver & Passengers	Driver & Passengers	Driver & Passengers
Floor trim	Carpet with heel pad & tibia pad, X-Rider floor	Carpet with heel pad & tibia pad, X-Rider floor	Carpet with heel pad & tibia pad, X-Rider floor	Carpet with heel pad & tibia pad, X-Rider floor	Carpet with heel pad & tibia pad, X-Rider floor
Floor tunnel console with integrated cupholder	Std	Std	Std	Std	Std
Centre console storage box with lid	Std	Std	Std	Std	Std
Driver footrest	Std	Std	Std	Std	Std
Rear heater duct	Std	Std	Std	Std	Std
Rear ventilation duct	-	-	-	-	-
Window operation	Power Front & Rear with Driver One Touch, Jam	Power Front & Rear with Driver One Touch, Jam	Power Front & Rear with Driver One Touch, Jam	Power Front & Rear with Driver One Touch, Jam	Power Front & Rear with Driver One Touch, Jam
Rear window	Fixed without defogger	Fixed without defogger	Fixed without defogger	Fixed without defogger	Fixed without defogger
Fuel flap remote opener	Std	Std	Std	Std	Std
Ventilator grille with shutter ( fin shut)	Std	Std	Std	Std	Std
<b>INFOTAINMENT</b>					
Audio system	AM/FM Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone
USB Port (Music Playback & Device Link)	Std	Std	Std	Std	Std
USB charge port	Rear	Rear	Rear	Rear	Rear
USB port stereo camera	-	-	-	-	-
Speakers	6	6	6	6	6
Antenna	Std	Std	Std	Std	Std

MODELS	1.9 DDI X-RIDER 4X2	1.9 DDI X-RIDER 4X2 A/T	1.9 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X4 A/T	3.0 DDI X-RIDER 4X2 A/T
<b>OPTIONS</b>					
17" Alloy Wheel	-	-	-	-	-
18" Alloy wheel & 265/60R18 tyre (All Terrain)	-	-	-	-	-
18" Alloy wheel & 265/60R18 tyre (H/T Terrain)	Available	Available	Available	Available	Available
Differential lock	-	-	-	-	-
Hub cap steel wheel	-	-	-	-	-
Hub cap alloy wheel	-	-	-	-	-
Spare tire steel	-	-	-	-	-
Spare tire alloy	-	-	-	Available	-
Sports bar, black	-	-	-	-	-
Sports bar, chrome	-	-	-	-	-
Cab Protector	-	-	-	-	-
Rear sliding window	Available	Available	Available	Available	Available
Partial Leather seat with manual adjustment	-	-	-	-	-
Body Colour Front Bumper	-	-	-	-	-
Body Colour Rear Bumper	-	-	-	-	-
Safari Beige	-	-	-	-	-
Safari Beige with black rear step	-	-	-	-	-
Sunset Beige	-	-	-	Available	-
Sunset Beige with black rear step	-	-	-	Available	-
<b>WARRANTY &amp; SERVICE INTERVALS</b>					
Warranty & roadside assistance	5 years / 120 000 km	5 years / 120 000 km	5 years / 120 000 km	5 years / 120 000 km	5 years / 120 000 km
Anti-corrosion warranty	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km
Service plan	6 years / 90 000 km	6 years / 90 000 km	6 years / 90 000 km	6 years / 90 000 km	6 years / 90 000 km
Service intervals	12 months / 15 000 km	12 months / 15 000 km	12 months / 15 000 km	12 months / 15 000 km	12 months / 15 000 km


(#1) Fuel Economy and CO2 data as per ECE R101 / SANS 20101 regulation. Note that the actual fuel consumption will depend on many factors including the driver's driving habits, prevailing conditions and the vehicle's equipment, condition and use.

(#2) Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 and GA2) must not be exceeded. (e.g.: if a 3.0L Diesel is towing 3,500kg its maximum Vehicle mass is 2,500kg in order to be within GCM).




# D-MAX 3.0 Ddi X-RIDER

ISUZU D-MAX DOUBLE CAB 3.0 X-RIDER 4x4  
Colour: RED SPINEL



Partial Leather seat trim  
with "X" Mark



18" Alloy wheels


Available in the following colours:



MERCURY  
SILVER



ISLAY  
GRAY



SPLASH  
WHITE



RED  
SPINEL

The X-RIDER trim level comes standard with LS features as well as the following additional specifications:

## INTERIOR

**Partial leather with** Red Stitching on Steering wheel & Seat trim, X Mark on headrest, Multi Information Display (MID) with 7" with decoration with X mark, Utility box on glove box with High Type, X Mark with red gradation, 6 Way Manual Driver, Manual Lumbar Support Driver, interior trim colour Black Upper / Black Lower, Carpet with heel pad & tibia pad, X-Rider floor mats.

## EXTERIOR

Very Dark Grey Roof Rail, Gloss Black Side Step, Black Sports Bar, Red Isuzu Emblem, GlossBlack Mirror Covers, LED Front fog lamps & headlamps, Rear tail lamps, combination, Auto, Rain sensing, 18" Alloy wheels Diamond Cut

## TECH

**New 8"inch Infotainment** Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & wireless Android Auto, WiFi & Handsfree Phone, Rough Terrain Mode

## SAFETY

Rear Parking Sensos, Rear-view camera, Remote controlled central locking, Remote keyless entry, Remote key auto lock, Anti-theft alarm system, Transponder immobiliser system, Selectable door unlock, Child proof rear door locks

## PERFORMANCE

Available in 1.9L or 3.0L turbo diesel engine with a 6-speed automatic transmission.

4x2 or 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.



# TRUECARE

PEACE OF MIND FOR YOU & YOUR ISUZU

## PEACE OF MIND

WARRANTY & ROADSIDE ASSISTANCE: 5 Years / 120 000 km

ANTI-CORROSION WARRANTY: 5 Years / Unlimited km

SERVICE PLAN: 6 Years/ 90 000 km

SERVICE INTERVALS: 12 months / 15 000 km



Disclaimer: The information contained in this brochure was accurate at the time of going to publication in May 2026. Specifications and equipment are subject to change without prior notice. Some illustrations in this brochure feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Printed colours may vary from actual. Errors and omissions excepted. Vehicles may differ from images. Terms and conditions apply. Please contact your ISUZU Dealer for exact information. Apple CarPlay® is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible and functionality will vary depending on the device. Mobile Data and SMS rates may apply and are the responsibility of the user. Please check your local road rules before using these functions.