THE ALL-NEW

TOYOTA VITZ



VITZ FOR VICTORY



SPECIFICATIONS

	Vitz 1.0 MT	Vitz 1.0 XR MT	Vitz 1.0 XR AMT
Engine and Drivetrain			
Driven Wheels	FWD	FWD	FWD
Fuel System	Petrol	Petrol	Petrol
Maximum Power (kW @ r/min)	49 @ 5500	49 @ 5500	49 @ 5500
Maximum Torque (Nm @ r/min)	89 @ 3500	89 @ 3500	89 @ 3500
Number of Cylinders and Arrangement	Inline-3	Inline-3	Inline-3
Starting System	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)
Transmission	Manual-5-Speed	Manual-5-Speed	Automated Manual Transmissi (AMT)-5-Speed
Engine capacity (ℓ)	1.0	1.0	1.0
Exterior Features			
Antenna			
Body Colour	Monotone	Monotone	Monotone
Door Outside Handles	Black	Colour Coded	Colour Coded
Front Bumper	Colour Coded	Colour Coded	Colour Coded
·	Colour Coded	Coloui Coded	• Colour Coueu
Front Fog Lamps	H-1		
Headlights	Halogen	Halogen	Halogen
High-Mounted Brake Light	•	•	•
Luggage Boot / Rear Door	Manual	•	•
Side Mirrors	Black	Colour Coded, Power	Colour Coded, Power
Front Grille	Chrome, Black	Chrome, Black	Chrome, Black
Rear Bumper	Colour Coded	Colour Coded	Colour Coded
Front Window Wiper	Intermittent	Intermittent	Intermittent
Rear Window Wiper		•	•
nterior Features			
Cupholders	2	2	2
Floor Carpet Trim	Carpet	Carpet	Carpet
Front Headrest	Integrated-2	Integrated-2	Integrated-2
Rear View Mirror	•	Day & Night	Day & Night
Key Reminder Warning	•		
2nd Row Seats	60:40	60:40	60:40
Seat Trim	Fabric	Fabric	Fabric
Shift Lever & Knob	Urethane	Urethane	Urethane
Speedometer	Analog		
·		Analog-Tachometer	Analog-Tachometer
Steering Wheel	3 Spoke / Urethane	3 Spoke / Urethane	3 Spoke / Urethane
Seat Back Pockets	Passenger only	Passenger only	Passenger only
Safety			
Inti Thaft Custom	L	Immobiliser / Alarm	Immobiliser / Alarm
Anti-ment System	Immobiliser	IIIIIIODIIISEI / Alai III	oomser / ruarii
	ımmodiliser •	•	•
Centre Rear Lap Seatbelt			
Centre Rear Lap Seatbelt Rear Door Child Lock			•
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX)	•		
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake			
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake Front Brake	· · · · · · · · · · · · · · · · · · ·	· · · · · 2 Lever	· 2 Lever Ventilated Disc
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake Front Brake Front Seat Belts	· · · · · · · · · · · · · · · · · · ·	· 2 Lever Ventilated Disc	Lever Ventilated Disc Force Limiter, Pretensioner
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake Front Brake Front Seat Belts Rear Brake	Lever Ventilated Disc Force Limiter, Pretensioner	Lever Ventilated Disc Force Limiter, Pretensioner	Lever Ventilated Disc Force Limiter, Pretensioner
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake Front Brake Front Seat Belts Rear Seat Belts	Lever Ventilated Disc Force Limiter, Pretensioner	Lever Ventilated Disc Force Limiter, Pretensioner	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake Front Brake Front Seat Belts Rear Brake Rear Seat Belts Seat Belt Warning	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake Front Brake Front Seat Belts Rear Seat Belts Seat Belt Warning Mireless Door Lock	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing
Anti-Theft System Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake Front Brake Front Seat Belts Rear Brake Rear Seat Belts Seat Belt Warning Wireless Door Lock Rear Window Demister	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light Key	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light Remote	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light Remote
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake Front Brake Front Seat Belts Rear Brake Rear Seat Belts Seat Belt Warning Wireless Door Lock Rear Window Demister Airbags	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light Key	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake Front Brake Front Seat Belts Rear Brake Rear Seat Belts Seat Belt Warning Wireless Door Lock Rear Window Demister Airbags Driver Support Systems	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light Key Driver, Passenger	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light Remote Driver, Passenger	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light Remote Driver, Passenger
Centre Rear Lap Seatbelt Rear Door Child Lock Child Restraint System (ISOFIX) Parking Brake Front Brake Front Seat Belts Rear Brake Rear Seat Belts Seat Belt Warning Wireless Door Lock	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light Key	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light Remote	Lever Ventilated Disc Force Limiter, Pretensioner Drum-Leading and Trailing Driver only / Buzzer + Light Remote

Hill Assist Control (HAC) Vehicle Stability Control (VSC) Performance Top Speed (km/h) 160 160 160 160 160 160 160 160 160 16		Vitz 1.0 MT	Vitz 1.0 XR MT	Vitz 1.0 XR AMT
Vehicle Stability Control (VSC)	Electronic Brake-Force Distribution (EBD)	•		•
Performance Top Speed (km/h)	Hill Assist Control (HAC)			•
Top Speed (km/h) 160 160 160 Fuel Consumption (Combined Cycle) (k/100km) 4.4 4.4 4.2 CO2 (g/km) 101 101 97 Service And Warranty Services / 30 000km 2 Services / 30 000km 2 Services / 30 000km 3 years / 100 000km Warranty 3 years / 100 000km 3 years / 100 000km 3 years / 100 000km Warranty 3 years / 100 000km 3 years / 100 000km 3 years / 100 000km Warranty 3 years / 100 000km 3 years / 100 000km 3 years / 100 000km Warranty 3 years / 100 000km 1 75 60R15 Alloy 175 60R15 Alloy	Vehicle Stability Control (VSC)	•		•
Fuel Consumption (Combined Cycle) (£/100km)	Performance			
Service and Warranty Service Plan 2 Services / 30 000km 2 Services / 30 000km 3 years / 100 000km	Top Speed (km/h)	160	160	160
Service And Warranty Service Plan 2 Services / 30 000km 3 years / 100 000km 4 lide of 100 100km 9 years / 100 000km	Fuel Consumption (Combined Cycle) (ℓ/100km)	4.4	4.4	4.2
Service Plan 2 Services / 30 000km 2 Services / 30 000km 2 Services / 30 000km Warranty 3 years / 100 000km 3 years / 100 000km 3 years / 100 000km Wheels & Tyres Full-165-70R14 Steel <	CO ₂ (g/km)	101	101	97
Warranty 3 years / 100 000km 3 years / 100 000km Wheels & Tyres Full-165-70R14 Steel Full-165-7	Service and Warranty			
Wheels & Tyres Full-165-70R14 Steel Full-165-70R14 Steel Full-165-70R14 Steel Full-165-70R14 Steel Full-165-70R14 Steel Full-165-70R14 Steel T75-60R15 Alloy T75-60R15 Allo	Service Plan	2 Services / 30 000km	2 Services / 30 000km	2 Services / 30 000km
Spare Tyre Full-165-70R14 Steel Full-165-70R14 Steel Full-165-70R14 Steel Wheel and Tyre 165-70R14 Steel 175-60R15 Alloy 175-60R15 Alloy Convenience Air Conditioner Manual Manual Manual Audio System Display Audio Display Audio Bluetooth . . . Door Ajar Warning . . . Heater Manual Manual Manual Power Steering . . . Power Steering Electric Windows All One Touch-Driver only All One Touch-Driver only Sepeakers 2 4 </td <td>Warranty</td> <td>3 years / 100 000km</td> <td>3 years / 100 000km</td> <td>3 years / 100 000km</td>	Warranty	3 years / 100 000km	3 years / 100 000km	3 years / 100 000km
Wheel and Tyre 165-70R14 Steel 175-60R15 Alloy 175-60R15 Alloy Convenience Air Conditioner Manual Manual Manual Audio System Display Audio Display Audio Display Audio Bluetooth . . . Door Ajar Warning . . . Heater Manual Manual Manual Power Socket Front - 12V Front - 12V Front - 12V Power Steering Electric Windows All One Touch-Driver only All One Touch-Driver only All One Touch-Driver only Speakers 2 4 4 4 Steering Column Adjustments Manual Manual / Tilt Manual / Tilt Manual / Tilt USB 1	Wheels & Tyres			
Convenience Air Conditioner Manual Manual Manual Audio System Display Audio Display Audio Bluetooth . . Door Ajar Warning . . Heater Manual Manual Power Socket Front - 12V Front - 12V Power Steering . . Electric Windows All One Touch-Driver only All One Touch-Driver only Speakers 2 4 4 Steering Column Adjustments Manual Manual / Tilt Manual / Tilt USB 1 1 1 Android Auto & Apple CarPlay . . . Toyota Connect Enabled Dimensions and Capacities Fuel Tank Size (ℓ) 32 32 32 Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Lugagge Capacity (ℓ) 295 295	Spare Tyre	Full-165-70R14 Steel	Full-165-70R14 Steel	Full-165-70R14 Steel
Air Conditioner Manual Manual Manual Audio System Display Audio Display Audio Bluetooth . . Door Ajar Warning . . Heater Manual Manual Power Socket Front - 12V Front - 12V Power Steering . . Electric Windows All One Touch-Driver only All One Touch-Driver only Speakers 2 4 4 Steering Column Adjustments Manual Manual / Tilt Manual / Tilt USB 1 1 1 Android Auto & Apple CarPlay . . . Toyota Connect Enabled Dimensions and Capacities Fuel Tank Size (!) 32 32 32 32 Ground Clearance (mm) 170 170 170 170 170 Height (mm) 1555 1555 1555 1555 1555 <tr< td=""><td>Wheel and Tyre</td><td>165-70R14 Steel</td><td>175-60R15 Alloy</td><td>175-60R15 Alloy</td></tr<>	Wheel and Tyre	165-70R14 Steel	175-60R15 Alloy	175-60R15 Alloy
Display Audio Display Audi	Convenience			
Bluetooth . . Door Ajar Warning . . Heater Manual Manual Power Socket Front - 12V Front - 12V Power Steering . . Electric Windows All One Touch-Driver only All One Touch-Driver only Speakers 2 4 4 Steering Column Adjustments Manual Manual / Tilt Manual / Tilt USB 1 1 1 Android Auto & Apple CarPlay . . . Toyota Connect Enabled Dimensions and Capacities Fuel Tank Size (१) 32 32 32 32 Ground Clearance (mm) 170 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (१) 295 295 295	Air Conditioner	Manual	Manual	Manual
Door Ajar Warning . . . Heater Manual Manual Manual Power Socket Front - 12V Front - 12V Front - 12V Power Steering Electric Windows All One Touch-Driver only All One Touch-Driver only All One Touch-Driver only Speakers 2 4 4 Steering Column Adjustments Manual Manual / Tilt Manual / Tilt USB 1 1 1 Android Auto & Apple CarPlay . . . Toyota Connect Enabled Dimensions and Capacities Fuel Tank Size (ℓ) 32 32 32 Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (ℓ) 295 295 295	Audio System		Display Audio	Display Audio
Heater Manual Manual Manual Power Socket Front - 12V Front - 12V Front - 12V Power Steering . . . Electric Windows All One Touch-Driver only All One Touch-Driver only Speakers 2 4 4 Steering Column Adjustments Manual Manual / Tilt Manual / Tilt USB 1 1 1 Android Auto & Apple CarPlay . . . Toyota Connect Enabled Dimensions and Capacities Fuel Tank Size (®) 32 32 32 Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (®) 295 295 295	Bluetooth			•
Power Socket Front - 12V Front - 12V Front - 12V Power Steering • • • Electric Windows All One Touch-Driver only All One Touch-Driver only Speakers 2 4 4 Steering Column Adjustments Manual Manual / Tilt Manual / Tilt USB 1 1 1 Android Auto & Apple CarPlay • • • Toyota Connect Enabled • • • Dimensions and Capacities Fuel Tank Size (ℓ) 32 32 32 Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (ℓ) 295 295 295	Door Ajar Warning	•		•
Power Steering Electric Windows All One Touch-Driver only All One Touch Self on the Se	Heater	Manual	Manual	Manual
All One Touch-Driver only Speakers 2	Power Socket	Front - 12V	Front - 12V	Front - 12V
Speakers 2 4 4 Steering Column Adjustments Manual Manual / Tilt Manual / Tilt USB 1 1 1 Android Auto & Apple CarPlay . . . Toyota Connect Enabled Dimensions and Capacities Fuel Tank Size (ℓ) 32 32 32 Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (ℓ) 295 295 295	Power Steering	•		•
Steering Column Adjustments Manual Manual / Tilt Manual / Tilt USB 1 1 Android Auto & Apple CarPlay • • Toyota Connect Enabled • • Dimensions and Capacities Fuel Tank Size (ℓ) 32 32 Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (ℓ) 295 295 295	Electric Windows		All One Touch-Driver only	All One Touch-Driver only
USB 1 1 Android Auto & Apple CarPlay . . Toyota Connect Enabled . . Dimensions and Capacities . . Fuel Tank Size (ℓ) 32 32 32 Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (ℓ) 295 295 295	Speakers	2	4	4
Android Auto & Apple CarPlay Toyota Connect Enabled Dimensions and Capacities Fuel Tank Size (ℓ) Ground Clearance (mm) Height (mm) Lugagge Capacity (ℓ) 10 10 10 10 10 10 10 10 10 1	Steering Column Adjustments	Manual	Manual / Tilt	Manual / Tilt
Toyota Connect Enabled . . . Dimensions and Capacities Fuel Tank Size (ℓ) 32 32 32 Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (ℓ) 295 295 295	USB		1	1
Dimensions and Capacities Fuel Tank Size (ℓ) 32 32 32 Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (ℓ) 295 295 295	Android Auto & Apple CarPlay			•
Fuel Tank Size (ℓ) 32 32 32 Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (ℓ) 295 295 295	Toyota Connect Enabled	•	•	•
Ground Clearance (mm) 170 170 170 Height (mm) 1555 1555 1555 Length (mm) 3695 3695 3695 Lugagge Capacity (ℓ) 295 295 295	Dimensions and Capacities			
Height (mm) 1555 1555 Length (mm) 3695 3695 Lugagge Capacity (ℓ) 295 295	Fuel Tank Size (ℓ)	32	32	32
Length (mm) 3695 3695 Lugagge Capacity (ℓ) 295 295	Ground Clearance (mm)	170	170	170
Lugagge Capacity (ℓ) 295 295 295	Height (mm)	1555	1555	1555
	Length (mm)	3695	3695	3695
Width (mm) 1655 1655 1655	Lugagge Capacity (ℓ)	295	295	295
	Width (mm)	1655	1655	1655

COLOUR SELECTOR











WAJ - Jet Blue

ZTL - Coffee Brown

ZAM - Shadow Black Pearl

The information contained in this leaflet is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this leaflet are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this leaflet are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this leaflet may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this leaflet in terms of their correctness, accuracy, adequacy, usefulness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

