

TOYOTA HILUX XTRA CAB



**WHEN THERE'S
TOUGH TO BE DONE**





SPECIFICATIONS

2.4 GD-6 RB RAIDER 6MT

2.8 GD-6 4X4 RAIDER X 6AT

2.8 GD-6 RB RAIDER X 6AT

Engine and Drivetrain

| | | | |
|---------------------------------|-----------------|-----------------|-----------------|
| Displacement (cm ³) | 2393 | | |
| Maximum Power (kW @ r/min) | 110 @ 3400 | 150 @ 3000-3400 | 150 @ 3000-3400 |
| Maximum Torque (Nm @ r/min) | 400 @ 1600-2000 | 500 @ 1600-2800 | 500 @ 1600-2800 |
| Stabilizer | | Front Only | Front Only |

Transmission

| | | | |
|-----------------|---------------------|-------------------|-------------------|
| Transmission | Manual-6-speed | Automatic-6-speed | Automatic-6-speed |
| Starting System | Rotary (Mechanical) | Push Start | Push Start |

Suspension


| | | | |
|-------|--------------------------|-------------------|-------------------|
| Front | Double Wishbone | Rigid Axle (Coil) | Rigid Axle (Coil) |
| Rear | Leaf-Spring---Rigid-Axle | Leaf-Spring | Leaf-Spring |

Wheels and Tyres

| | | | |
|-------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
| Spare Wheel | Full Alloy | Full Alloy | Full Alloy |
| Tyre Size | F:265-65R17 Alloy- R:265-65R17 Alloy | F:265-60R18 Alloy- R:265-60R18 Alloy | F:265-60R18 Alloy- R:265-60R18 Alloy |

Body and Styling

| | | | |
|--------------------------|----------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|
| Daytime Running Light | | • | • |
| Door Outside Handles | Colour - Coded | Gloss - Black | Gloss - Black |
| Front Bumper | Colour Coded | Colour Coded | Colour Coded |
| Front Fog Lamps | Standard LED | Standard LED | Standard LED |
| Headlights | Halogen | LED - (High) - Welcome Lights | LED - (High) - Welcome Lights |
| Headlamp Levelling | Standard Manual | Standard Automatic | Standard Automatic |
| High-Mounted Brake Light | Standard LED | Standard LED | Standard LED |
| Light Control System | Auto Light Control System, Guided Exit Lighting | Standard, Guided Exit Lighting | Standard, Guided Exit Lighting |
| Side mirrors | Black, Power, Retractable, With Indicator | Gloss Black, Auto-Retractable, With Indicator, Power Retractable | Gloss Black, Auto-Retractable, With Indicator, Power Retractable |
| Over-Fenders | Standard Integrated | • | • |
| Front Grille | Black | Painted | Painted |
| Rear Bumper | Black | Black | Black |
| Rear Lights | Bulb Type | LED | LED |
| Front side Glass | Green | Green | Green |
| Antenna | | Standard Shark Fin | Standard Shark Fin |
| Back Glass | | Privacy | Privacy |
| Rear Fog Lamp | | Standard LED | Standard LED |
| Rear quarter Glass | | Privacy | Privacy |
| Rear side Glass | | Privacy | Privacy |
| Windshield Glass | | Laminated, Green | Laminated, Green |
| Side Step | • | Standard Black | Standard Black |



SPECIFICATIONS

2.4 GD-6 RB RAIDER 6MT

2.8 GD-6 4X4 RAIDER X 6AT


2.8 GD-6 RB RAIDER X 6AT

Interior, Comfort and Convenience

| | | | |
|------------------------------|--------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| Door Inside Handles | Black | Silver | Silver |
| Seat Trim | Fabric | Leather | Leather |
| AT Shift Lock | | Standard Reverse Warning | Standard Reverse Warning |
| Door Pockets | | Standard Front | Standard Front |
| Economy Meter | | Standard Eco Bar | Standard Eco Bar |
| Glove Box | | Lockable | Lockable |
| Room Lamp | | . | . |
| Seat Back Pockets | | Standard Driver and Passenger | Standard Driver and Passenger |
| Cruise Control | . | Standard All Speed | Standard All Speed |
| Audio System | Toyota Display Audio, DAB | Toyota Display Audio, DAB, 12.3-inch | Toyota Display Audio, DAB, 12.3-inch |
| Reverse Camera | Display Audio | Display Audio/ Multi Terrain Monitor | Display Audio/ Panoramic View Monitor |
| Bluetooth | . | . | . |
| Multi-Information Display | Standard TFT | Standard 12.3-inch | Standard 12.3-inch |
| Electric Windows | Front One Touch Driver only | Front Auto Up Down + Jam Protection | Front Auto Up Down + Jam Protection |
| Speakers | Standard 2 | Standard 8 | Standard 8 |
| Steering Switches | Standard Audio, Telephone, Info Display, Voice Command | Standard Audio, Telephone, Info Display, Voice Command, Adaptive Cruise Control | Standard Audio, Telephone, Info Display, Voice Command, Adaptive Cruise Control |
| USB | . | . | . |
| Android Auto & Apple CarPlay | . | . | . |
| Toyota Connect Enabled | . | . | . |
| Front Seat Adjustment | | Driver Power & Passenger Manual | Driver Power & Passenger Manual |
| Front Seat Reclining | | Driver Power & Passenger Manual | Driver Power & Passenger Manual |
| Seat Lumbar Support | | Driver 2-way | Driver 2-way |
| USB Type C | | Standard 2PCs | Standard 2PCs |
| Wireless Charger | | Standard Front x1 | Standard Front x1 |
| Toyota Connect | | Standard, Remote Services, E-Call | Standard, Remote Services, E-Call |
| Toyota Remote | | Standard | Standard |

Safety and Security

| | | | |
|------------------------|--------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|
| Anti-Theft System | Immobiliser Alarm / Intrusion Sensor | Siren Alarm + Immobiliser / Intrusion Sensor / Ultra-Wide Band | Siren Alarm + Immobiliser / Intrusion Sensor / Ultra-Wide Band |
| Auto Door Lock | Standard Speed Dependent | | |
| Emergency Brake Signal | . | Standard Hazard lamps | Standard Hazard lamps |
| Parking Brake | Lever | Electric | Electric |
| Front Brake | Ventilated Disc | Ventilated Disc | Ventilated Disc |



SPECIFICATIONS

2.4 GD-6 RB RAIDER 6MT

2.8 GD-6 4X4 RAIDER X 6AT

2.8 GD-6 RB RAIDER X 6AT

Safety and Security

| | | | |
|---------------------------------------|-----------------------------------------------|-----------------------------------------------|-----------------------------------------------|
| Front Seat Belts | ELR, Pretensioner, Force Limiter | ELR, Pretensioner, Force Limiter | ELR, Pretensioner, Force Limiter |
| Power Door Lock | Standard, Auto Door Lock | Standard, Auto Door Lock | Standard, Auto Door Lock |
| Pre-Crash System (Brake Synchronised) | | • | • |
| Rear Brake | Drum | Ventilated Disc | Ventilated Disc |
| Seat Belt Warning | Front Buzzer + Light | Front | Front |
| Wireless Door Lock | Standard Remote | Standard Smart + Panic + Buzzer | Standard Smart + Panic + Buzzer |
| Airbags | Side, Curtain, Driver, Passenger, Driver Knee | Side, Curtain, Driver, Passenger, Driver Knee | Side, Curtain, Driver, Passenger, Driver Knee |
| Toyota Safety Sense | | • | • |
| Airbag On-Off Switch | | • | • |
| Occupant Detection | | D + P seat sensor | D + P seat sensor |

Driver Support Systems


| | | | |
|-------------------------------------------|-----------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Park Distance Control | Standard Front + Rear | Standard Front + Rear, Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking | Standard Front + Rear, Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking |
| Anti-Lock Braking System (ABS) | • | • | • |
| Brake Assist (BA) | • | • | • |
| Electronic Brake Force Distribution (EBD) | • | • | • |
| Hill Assist Control (HAC) | • | | |
| Traction Control (TRC) | Standard, | | |
| Vehicle Stability Control (VSC) | • | • | • |
| Drive Mode Select | Standard Eco / Sport | | |
| Trailer Sway Control (TSC) | • | | |
| Downhill Assist Control (DAC) | | • | |
| Lane Keeping System | | Standard Lane Trace Assist | Standard Lane Trace Assist |
| Limited Slip Differential | • | • | • |
| Blind Spot Monitor (BSM) | | Standard Safe Exit Assist | Standard Safe Exit Assist |
| Multi-Terrain Select (MTS) | | • | |
| Tyre Pressure Monitor | | • | • |

Service and Warranty

| | | | |
|------------------|-----------------------|-----------------------|-----------------------|
| Service Plan | 9 Services / 90,000km | 9 Services / 90,000km | 9 Services / 90,000km |
| Service Interval | 12 months / 10,000km | 12 months / 10,000km | 12 months / 10,000km |
| Warranty | 3 years / 100,000km | 3 years / 100,000km | 3 years / 100,000km |

Dimensions and Capacities

| | | | |
|---------------------|------|------|------|
| Front Overhang (mm) | 990 | 990 | 990 |
| Front Tread (mm) | 1540 | 1535 | 1535 |
| Fuel Tank Size (L) | 80 | 80 | 80 |



SPECIFICATIONS


2.4 GD-6 RB RAIDER 6MT

2.8 GD-6 4X4 RAIDER X 6AT

2.8 GD-6 RB RAIDER X 6AT

| Dimensions and Capacities | | | |
|---------------------------------|------|------|------|
| Gross Combination Mass (GCM) | 5500 | 5900 | 5500 |
| Gross Vehicle Mass (GVM) | 2750 | 2900 | 2700 |
| Height (mm) | 1810 | 1860 | 1860 |
| Length (mm) | 5325 | 5320 | 5320 |
| Rear Overhang (mm) | 1255 | 1245 | 1245 |
| Rear Tread (mm) | 1550 | 1555 | 1555 |
| Towing Capacity - Unbraked (kg) | 750 | 750 | 750 |
| Towing Capacity - Braked (kg) | 2750 | 3500 | 2800 |
| Turning circle (tyres, m) | 6.4 | 6.3 | 6.3 |
| Wheelbase (mm) | 3085 | 3085 | 3085 |
| Width (mm) | 1855 | 1855 | 1885 |
| Payload (kg) | 825 | | |
| Approach Angle (°) | | 29.0 | 29.0 |
| Departure Angle (°) | | 25.0 | 25.0 |
| Ground Clearance (mm) | | 312 | 312 |
| Kerb Weight (kg) | | 2080 | 1985 |
| Roof Loading Capacity (kg) | | 75 | 75 |
| Top Speed (km/h) | 175 | 176 | 176 |

LINE DRAWING



EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE

040 - Glacier White

5C7 - Desert Gold
Metallic

1D6 - Chromium Silver



3T6 - Arizona Red




6X1 - Oxide Bronze

089 - Platinum White
Pearl

218 - Attitude Black



1M2 - Ash Grey

**Disclaimer:**

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors (Pty) Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to (but not limited to) driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd (including its owners, agents, consultants, employees, and any affiliated person(s)) are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict (breach of a duty of care) or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

