



TOYOTA

LEAD THE WAY



90

GR *Supra*

	GR Supra	GR Supra Matte Grey	GR Supra Track
Engine and Drivetrain			
Maximum Power (KW @ r/min)	250 @ 5000-6500	250 @ 5000-6500	250 @ 5000-6500
Maximum Torque (Nm @ r/min)	500 @ 1600-4500	500 @ 1600-4500	500 @ 1600-4500
Valve Mechanism	24, Chain Drive, DOHC	24, Chain Drive, DOHC	24, Chain Drive, DOHC
Displacement (cm³)	2998	2998	2998
Compression Ratio	11.0 : 1	11.0 : 1	11.0 : 1
Bore x Stroke (mm)	82.0 x 94.6	82.0 x 94.6	82.0 x 94.6
Adaptive Variable Suspension (AVS)	-	-	
Turbo Charger	Twin Scroll	Twin Scroll	Twin Scroll
1st Gear Ratio	5.250	5.250	5.250
2nd Gear Ratio	3.360	3.360	3.360
3rd Gear Ratio	2.172	2.172	2.172
4th Gear Ratio	1.720	1.720	1.720
5th Gear Ratio	1.316	1.316	1.316
6th Gear Ratio	1.000	1.000	1.000
7th Gear Ratio	0.822	0.822	0.822
8th Gear Ratio	0.640	0.640	0.640
Reverse Gear Ratio	3.712	3.712	3.712
0-100 (sec)	4.3	4.3	4.3
Fuel Consumption (Combined Cycle) (ℓ/100km)	7.7	7.7	7.7
CO₂ Emissions (g/km)	177	177	177
Transmission			
Transmission	8-Speed AT	8-Speed AT	8-Speed AT
Starting System	Push Start	Push Start	Push Start
Suspension			
Front	MacPherson	MacPherson	MacPherson
Rear	Multi-link	Multi-link	Multi-link
Wheels and Tyres			
Tyre Size - Front	255 / 35 - R19 Alloy	255 / 35 - R19 Alloy	255 / 35 - R19 Alloy
Tyre Size - Rear	275 / 35 - R19 Alloy	275 / 35 - R19 Alloy	275 / 35 - R19 Alloy
Spare Wheel	Repair Kit	Repair Kit	Repair Kit
Body and Styling			
Body Colour	Monotone	Monotone	Monotone
Door Outside Handles	Colour Coded - Smart Entry	Colour Coded - Smart Entry	Colour Coded - Smart Entry
Headlights	LED-Auto High Beam	LED-Auto High Beam	LED
Daytime Running Lights (DRL)	-	-	-
Headlamp Levelling	-	-	-
Rear Fog Lamp	LED	LED	LED
Side Mirrors	Black / Memory / Heated / Power Retractable / BSM	Black / Memory / Heated / Power Retractable / BSM	Black / Heated / Power Retractable
Rear Bumper	Painted	Painted	Painted
Interior, Comfort and Convenience			
Seat Trim	Alcantara	Alcantara	Fabric
Rear View Mirror	Electrochromatic (EC)	Electrochromatic (EC)	Electrochromatic (EC)
Steering Wheel	3 Spoke / Leather	3 Spoke / Leather	3 Spoke / Leather
Door Scuff Plate	Aluminium	Aluminium	Aluminium
Cruise Control	Adaptive	Adaptive	Normal CC
Air Conditioner	Auto - Dual Zone	Auto - Dual Zone	Auto - Dual Zone
Reverse Camera	EMV	EMV	EMV
Navigation	EMV	EMV	
Front Seat Adjustment	Driver & Passenger - Power	Driver & Passenger - Power	Manual
Seat Heater	Driver & Passenger	Driver & Passenger	
Seat Lumbar Support	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power
Heads-Up-Display (HUD)	-	-	
Steering Switches	Audio / Adaptive Cruise Control	Audio / Adaptive Cruise Control	Audio / Cruise Control
Steering Column Adjustments	Manual / Tilt, Telescopic	Manual / Tilt, Telescopic	Manual / Tilt, Telescopic
Wireless Charger	-	-	
Audio	JBL / EMV	JBL / EMV	Toyota / EMV
Bluetooth	-	-	-
USB	-	-	-
Speakers	12 (JBL)	12 (JBL)	10
Power Socket	Front - 12V / Rear - 12V	Front - 12V / Rear - 12V	Front - 12V / Rear - 12V

	GR Supra	GR Supra Matte Grey	GR Supra Track
Safety and Security			
Anti-Theft System	Alarm / Immobiliser	Alarm / Immobiliser	Alarm / Immobiliser
Child Restraint System (ISOFIX)	•	•	
Driver, Front Passenger, Side Front, Curtain & Driver-Knee Airbags	•	•	•
Pre-Crash System (Brake Synchronised)	•	•	
Power Door Lock	•	•	•
Wireless Door Lock	Smart Entry	Smart Entry	Smart Entry
Driver Support Systems			
Anti-Lock Braking System (ABS)	•	•	•
Vehicle-Stability Control (VSC)	•	•	•
Traction Control (TRC)	•	•	•
Park Distance Control (PDC)	•	•	
Blind Spot Monitor (BSM)	•	•	
Brake-Assist (BA)	•	•	•
Hill-Assist Control (HAC)	•	•	•
Lane Keeping System	Lane Departure Alert	Lane Departure Alert	
Tyre Pressure Monitor	•	•	•
Service and Warranty			
Service Plan	5 Services / 100 000 km	5 Services / 100 000 km	5 Services / 100 000 km
Service Interval	12 Months / 20 000 km	12 Months / 20 000 km	12 Months / 20 000 km
Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Dimensions and Capacities			
Height (mm)	1294	1294	1294
Length (mm)	4379	4379	4379
Width (mm)	1854	1854	1854
Wheelbase (mm)	2470	2470	2470
Fuel Tank Size (ℓ)	52	52	52
Front Overhang (mm)	958	958	958
Rear Overhang (mm)	951	951	951
Payload (kg)	320	320	320
Gross Vehicle Mass (GVM)	1815	1815	1815
Turning Circle (Tyres, m)	5.2	5.2	5.2

EXTERIOR COLOURS



D01 White Metallic



D02 Prime Silver Metallic



D03 Ice Grey Metallic



D04 Luminous Black Metallic



D05 Prominent Red*

* GR Supra Track Only



D06 Striking Yellow



D07 Grand Blue Metallic



D08 Storm Grey Metallic*

* GR Supra Matte Grey Only

DISCLAIMER:

The information contained in this spec sheet is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this spec sheet are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this spec sheet are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this spec sheet may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this spec sheet in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

