

## **SPECIFICATIONS**

		LC79 4.0 Petrol Single Cab	LC79 4.2 Diesel Single Cab	LC79 4.5 V8 Diesel Single Cab	LC79 2.8 GD-6 Single Cab
Engine and Drivetrain	n				
Engine capacity (ℓ)		4.0	4.2	4.5	2.8
Displacement (cm³)		3956	4164	4461	2755
Bore x Stroke (mm)		94.0 x 95.0	94.0 x 100.0	86.0 x 96.0	92.0 x 103.6
Compression Ratio		10.0:1	22.4:1	16.8:1	15.6:1
Differential Gear Ratio		4.100	4.100	3.909	4.300
Differential Lock		Front and Rear	Front and Rear	Front and Rear	Front and Rear
Emission Control		Euro 2	Euro 2	Euro 4 – With OBD	Euro 2
Engine Monitor Warnin	g	•			•
Fuel System		Petrol - EFI	Diesel	Diesel - Common Rail	Diesel - Common Rail
Maximum Power (kW @	r/min)	170 @ 5200	96 @ 3800	151 @ 3400	150 @ 3000 - 3400
Maximum Torque (Nm @	n/min)	360 @ 3800	285 @ 2200	430 @ 1200 - 3200	500 @ 1600 - 2800
Number of Cylinders an Arrangement	d	V-Type-6	Inline-6	V-Type-8	Inline-4
Reverse Gear ratio		4.313	4.220	4.313	3.732
Stabiliser		Front Only	Front Only	Front Only	Front Only
Suspension (Rear)		Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)
Transmission		Manual-5-speed	Manual-5-speed	Manual-5-speed	Automatic-6-speed
Turbo Charger		riandar o speca	rianida o specu	·	•
Suspension (Front)		Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)
		riigia / inic (coll)	mgia/inic (coii/	ragia / raic (coil)	riigiu / Inic (COII)
Wheels and Tyres		E II 205 70045 433	E 11 205 7004041	E 11 205 7004 5 4 11	E 11 205 70040 411
Spare Tyre		Full-265-70R16 Alloy	Full-265-70R16 Alloy	Full-265-70R16 Alloy	Full-265-70R16 Alloy
Spare Wheel Carrier		Load Box	Load Box	Load Box	
Wheel and Tyre		F:265-70R16 Alloy / R:265-70R16 Alloy	F:265-70R16 Alloy / R:265-70R16 Alloy	F:265-70R16 Alloy / R:265-70R16 Alloy	F:265-70R16 Alloy / R:265-70R16 Alloy
Body and Styling					
Snorkel				•	
Antenna		•	•	•	•
Body Colour		Monotone	Monotone	Monotone	Monotone
Engine Under Cover & P	rotector	•	•		•
Front Bumper		Black	Black	Black + Plated	Black
Front Fog Lamps		LED	LED	LED	LED
Windshield Glass		Laminated, Green	Laminated, Green	Laminated, Green	Laminated, Green
Grade Mark		Zammacca, Green	Zammatea, Green	LX	•
Mud Guards		Front & Rear	Front & Rear	Front & Rear	Front & Rear
Side Step		Black	Black	Aluminium	Black
Headlights		Halogen	Halogen	Halogen	Halogen
Side Mirrors		Black	Black	Black	Black
Over-Fenders		biack	biack	black .	• •
Front Grille		Material	Material	Material	Material
Tow Hook		2	2	2	2
<u></u>					
Front Window Wiper		Intermittent	Intermittent	Intermittent	Intermittent
Loadbox		•	•	•	•
Interior, Comfort and	Convenie	ence			
4WD Selector		Lever	Lever	Lever	Lever
Cupholders		•	•	•	•
Floor Carpet Trim		PVC	PVC	Carpet	PVC
Front Headrest		Adjustable, 2	Adjustable, 2	Adjustable, 2	Adjustable, 2
Glove Box		Lockable	Lockable	Lockable	Lockable
Rear View Mirror		Day & Night	Day & Night	Day & Night	Day & Night
Seat Trim		Vinyl	Vinyl	Fabric	Fabric
Shift Lever & Knob		Urethane	Urethane	Urethane	Urethane
Speedometer				Α 1	Δ 1
		Analog	Analog	Analog	Analog
Steering Wheel		Analog 4 Spoke / Urethane	Analog 4 Spoke / Urethane	Analog 4 Spoke / Leather + Wood	4 Spoke / Leather + Wood
Steering Wheel Air Conditioner		,		-	
		4 Spoke / Urethane	4 Spoke / Urethane	4 Spoke / Leather + Wood	4 Spoke / Leather + Wood
Air Conditioner		4 Spoke / Urethane Manual	4 Spoke / Urethane Manual	4 Spoke / Leather + Wood Manual	4 Spoke / Leather + Wood Manual
Air Conditioner Heater		4 Spoke / Urethane Manual Manual	4 Spoke / Urethane Manual Manual	4 Spoke / Leather + Wood Manual Manual	4 Spoke / Leather + Wood Manual Manual
Air Conditioner Heater Power Socket		4 Spoke / Urethane Manual Manual Front - 12V Hydraulic	4 Spoke / Urethane  Manual  Manual  Front - 12V  Hydraulic	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic
Air Conditioner Heater Power Socket Power Steering Electric Windows		4 Spoke / Urethane  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only	4 Spoke / Urethane  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only
Air Conditioner Heater Power Socket Power Steering Electric Windows Speakers		4 Spoke / Urethane Manual Manual Front - 12V Hydraulic All / One Touch Driver only	4 Spoke / Urethane  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2
Air Conditioner Heater Power Socket Power Steering Electric Windows	tments	4 Spoke / Urethane  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only	4 Spoke / Urethane  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only
Air Conditioner Heater Power Socket Power Steering Electric Windows Speakers	tments	4 Spoke / Urethane Manual Manual Front - 12V Hydraulic All / One Touch Driver only 2 Manual / Tilt & Telescopic,	4 Spoke / Urethane  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2  Manual / Tilt & Telescopic,	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2  Manual / Tilt & Telescopic,	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2  Manual / Tilt & Telescopic,
Air Conditioner Heater Power Socket Power Steering Electric Windows Speakers Steering Column Adjust		4 Spoke / Urethane Manual Manual Front - 12V Hydraulic All / One Touch Driver only 2 Manual / Tilt & Telescopic,	4 Spoke / Urethane  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2  Manual / Tilt & Telescopic,	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2  Manual / Tilt & Telescopic, Collapsible	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2  Manual / Tilt & Telescopic,
Air Conditioner Heater Power Socket Power Steering Electric Windows Speakers Steering Column Adjust USB Type C		4 Spoke / Urethane  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2  Manual / Tilt & Telescopic, Collapsible	4 Spoke / Urethane  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2  Manual / Tilt & Telescopic, Collapsible	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2  Manual / Tilt & Telescopic, Collapsible  2	4 Spoke / Leather + Wood  Manual  Manual  Front - 12V  Hydraulic  All / One Touch Driver only  2  Manual / Tilt & Telescopic, Collapsible

	LC79 4.0 Petrol Single Cab	LC79 4.2 Diesel Single Cab	LC79 4.5 V8 Diesel Single Cab	LC79 2.8 GD-6 Single Cab
	EC79 4.0 Petrol Siligle Cab	EC79 4.2 Diesei Siligie Cab	LC79 4.5 V8 Diesei Siligie Cab	EC79 2.8 GD-0 Silligle Cab
Safety and Security				
Anti-Theft System	Siren / Alarm + Immobiliser	Siren / Alarm + Immobiliser	Siren / Alarm + Immobiliser	Siren / Alarm + Immobiliser
Front Airbag(s)	Driver + Passenger	Driver + Passenger	Driver + Passenger	Driver + Passenger
Power Door Lock	•	•	•	•
Spare Wheel Anti-Theft Lock	•	•	•	•
Wireless Door Lock	Remote	Remote	Remote	Remote
Driver Support Systems				
Anti-Lock Braking System (ABS)	•	•	•	
Brake Assist (BA)				•
Electronic Brake Force Distribution (EBD)				
Hill Assist Control (HAC)				•
Traction Control (TRC)				Active Traction Control (ATRC)
Vehicle Stability Control (VSC)				
Downhill Assist Control (DAC)				•
Service and Warranty				
Service Plan	Optional	Optional	Optional	Optional
Service Interval	12 months / 10 000km	12 months / 5 000km	12 months / 5 000km	12 months / 10 000km
Warranty	3 years / 100 000km	3 years / 100 000km	3 years / 100 000km	3 years / 100 000km
Dimensions and Capacities				
Approach Angle (°)	33.0	33.0	33.0	33.0
Departure Angle (°)	27.0	27.0	27.0	27.0
Front Overhang (mm)	850	850	860	850
Front Tread (mm)	1555	1555	1555	1555
Fuel Tank Size (ℓ)	90	90	90	90
Gross Combination Mass (GCM)	4700	4700	6800	6800
Ground Clearance (mm)	235	235	235	235
Gross Vehicle Mass (GVM)	3200	3200	3300	3300
Height (mm)	1955	1955	1955	1955
Interior Height (mm)	1120	1120	1120	1120
Interior Length (mm)	980	980	980	980
Interior Width (mm)	1510	1510	1510	1510
Kerb Weight (kg)	2015	2090	2200	2120
Length (mm)	5235	5235	5245	5235
Rear Overhang (mm)	1205	1205	1205	1205
Rear Tread (mm)	1460	1460	1460	1460
Secondary Fuel Tank (ℓ)	90	90	90	90
Towing Capacity - Unbraked (kg)	750	750	750	750
Towing Capacity - Braked (kg)	1500	1500	3500	3500
Turning circle (tyres, m)	7.2	7.2	7.2	7.2
Wheelbase (mm)	3180	3180	3180	3180
Width (mm)	1870	1870	1870	1870
Top Speed (km/h)	165	140	160	150

## COLOUR SELECTOR

Ivory White 058 Satin Silver





Metallic 1G3\*

Ruby Metallic 3Q3\*



Dark Blue 8H6\*

Metallic 1F7

\*Customer Order Only



There is no 'one-size-fits-all' when it comes to vehicle finance and insurance, there is only you. With fast, flexible and convenient services we will structure the perfect Land Cruiser deal for you. At Toyota Financial Services, we believe that purchasing your Toyota should be as enjoyable as driving it. Toyota Financial Services is the fast, flexible and convenient means of financing your Land Cruiser. We have created a range of financial products that suit both private and business customers, easily accessible through your local Toyota dealer. We take the hassle out of arranging finance. Toyota Financial Services (South Africa) Ltd is an authorised Financial Services (FSP No. 7454) and Registered Credit Provider (NCRCP62). For comprehensive information about products offered by Toyota Financial Services, visit www.toyota.co.za/toyota-finance

## DISCLAIMER:

The information contained in this leaflet is provided as is and any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this leaflet are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this leaflet are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this leaflet may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this leaflet in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

